

MANUAL AND SAFETY REGULATIONS

Snow plough 1800 fixed
Snow plough 1800 adjustable
Snow plough 2000 adjustable
Snow plough 2400 adjustable



1. Introduction

This manual is intended to inform you about the commissioning, use and maintenance of your new snow plough. In addition, this manual contains safety instructions which guarantee a risk-free application.

TVH strives for a continuous improvement of its products and reserves the right to perform any modifications and improvements it deems necessary.

Before the commissioning, the manual and the safety regulations must be thoroughly read and observed.



ATTENTION:

Carefully read through this manual before bringing the device into use and observe all instructions. This will guarantee a safe, interference-free functioning.

2. Safety regulations




This icon can be found next to all important safety instructions in this manual. Observe the instructions carefully, and pay extra attention in these cases.



This icon can be found next to all actions that are strictly prohibited. Please observe this ban carefully.


The below-mentioned safety regulations apply to each type of snow plough.



Do not allow anyone to ride along.



Make sure that the blade is always positioned vertically during use.

	<p>Make sure that the rubber strip doesn't come into contact with any sharp, protruding elements, in order to prevent damage.</p>
	<p>Make sure that everybody keeps sufficiently clear of the work area of the snow plough at all times.</p>
	<p>Only operate the snow plough from the driver's seat of the pushing vehicle. Make sure that the view on the activities from this position is always unobstructed.</p>
	<p>Always park the pushing vehicle with the snow plough in the lowest position. Make sure that the combination can't perform any unexpected movements when the snow plough is not in use. If the snow plough is removed, always place it on a flat, firm surface, place the supporting leg in the bottom position and secure the supporting leg with the locking pin.</p>

3. Instructions for use

1. Drive the forks of the lift truck as far as possible into the fork sleeves of the frame of the snow plough.
2. Secure the frame by means of the chain and screws.
3. Place the support in the highest position and secure it firmly by means of the locking pin.
4. Adjust the blade to the correct angle; lift the pin, rotate the blade and place the pin in such way that the blade is locked firmly.*

{*} only applicable for the adjustable models

4. Maintenance

- Lubricate all pivoting points and springs on a regular basis.



PARTS & ACCESSORIES



FOLLOW US



COMPANY MOVIE



TVH PARTS NV

Brabantstraat 15 · 8790 Waregem · Belgium

T +32 56 43 42 11 · F +32 56 43 44 88 · info@tvh.com · www.tvh.com

TVH PARTS